

LED DOWN LIGHT



LED DOWN LIGHT 筒灯




HR6001
3W / 5W / 10W / 15W / 25W

Product Features :


- Isolated design for lamp source and power, rapid heat dissipation, extrusion moulding enclosure, anodization treatment for light surface, good corrosion-proof performance.
- Surface mounting type for LED particles, low energy consumption, high luminous efficiency, low power consumption.
- Superior polycarbonate diffuser, no ghost image, no glare, anti-vibration, no cracking.
- External wide voltage input constant current drive power, safe and no interference.

Application Area :


- Widely used in stairs, washroom, passageway, club, hotel, home lighting, entertainment venues, mall, office etc..



Model :



Light Distribution Curve :



Model	Product Dimension
HR6001-3-2	
HR6001-5-3	
HR6001-10-4	
HR6001-15-5	
HR6001-25-6	

Model	Power	Luminous flux	Color temperature	Color rendering	Specification (inches)	Hole Size	Input voltage	Weight
HR6001-3Z-2	3W	270Lm	Natural White	75	2	φ 60	AC100-240V	0.4kg
HR6001-3N-2	3W	255Lm	Warm White	80	2	φ 60	AC100-240V	0.4kg
HR6001-5Z-3	5W	450Lm	Natural White	75	3	φ 90	AC100-240V	0.5kg
HR6001-5N-3	5W	425Lm	Warm White	80	3	φ 90	AC100-240V	0.5kg
HR6001-10Z-4	10W	900Lm	Natural White	75	4	φ 121	AC100-240V	0.8kg
HR6001-10N-4	10W	850Lm	Warm White	80	4	φ 121	AC100-240V	0.8kg
HR6001-15Z-5	15W	1350Lm	Natural White	75	5	φ 150	AC100-240V	1.5kg
HR6001-15N-5	15W	1275Lm	Warm White	80	5	φ 150	AC100-240V	1.5kg
HR6001-25Z-6	25W	2250Lm	Natural White	75	6	φ 160	AC100-240V	2.0kg
HR6001-25N-6	25W	2125Lm	Warm White	80	6	φ 160	AC100-240V	2.0kg





Model	Power	Luminous flux	Color temperature	Color rendering	Specification (inches)	Hole Size	Input voltage	Weight
HR6051-4Z-3	4W	360Lm	Natural White	75	3	φ 105	AC100-240V	0.2kg
HR6051-4N-3	4W	340Lm	Warm White	80	3	φ 105	AC100-240V	0.2kg
HR6051-10Z-4	10W	900Lm	Natural White	75	4	φ 135	AC100-240V	0.35kg
HR6051-10N-4	10W	850Lm	Warm White	80	4	φ 135	AC100-240V	0.35kg
HR6051-15Z-6	15W	1350Lm	Natural White	75	6	φ 170	AC100-240V	0.6kg
HR6051-15N-6	15W	1275Lm	Warm White	80	6	φ 170	AC100-240V	0.6kg
HR6051-20Z-8	20W	1800Lm	Natural White	75	8	φ 225	AC100-240V	0.95kg
HR6051-20N-8	20W	1700Lm	Warm White	80	8	φ 225	AC100-240V	0.95kg

HR6051 LED DOWN LIGHT

4W / 8W / 10W / 15W / 20W

Product Dimension			
4W		10W	
15W		20W	






HR6101 LED DOWN LIGHT

9W

Product Dimension



Hole size : Φ 95mm

Product Features


- Enclosure color: White
- Enclosure material: Die-casting aluminum
- Input voltage : 220V
- Working time of LED lamp : > 50000H
- Suitable place: Home, restaurant, hotel, exclusive shop



HR6151 LED DOWN LIGHT

9W

Product Dimension



Hole size : Φ 95mm

Product Features

- Enclosure color: White
- Enclosure material: Die-casting aluminum
- Input voltage : 220V
- Working time of LED lamp : > 50000H
- Suitable place: Home, restaurant, hotel, exclusive shop

